



Southern Lithoplate, Inc.

P.O. Box 9400

Wake Forest, NC 27588

Phone: 800-638-7990

Fax: 919-554-0786

Website: www.slp.com

SECTION 1 - PRODUCTION AND USE

Product identifier: PS Image Addition Pen

Product use: Image Addition Pen for presensitized metal plates.

Date of Last Revision: 6/24/09

24 hr Emergency Contact Number: Chemtrec (800) 424-9300

SECTION 2 - COMPONENT HAZARD DATA

Component(s)	CAS Number	Percentage Ranges (%)
Methyle ethyl ketone	79-93-3	30.0-50.0
Ethylellulose	9004-57-3	10.0-30.0
Epoxy Resin	N/A	10.0-30.0
Toluene	108-88-3	1.0-5.0
Oil color pink	N/A	<1.0

SECTION 3 - HAZARDS IDENTIFICATION

HMIS Health = 2
Code: Flammability = 2
Reactivity = 0
Protection = Respirator, Gloves and Goggles
0=minimal, 1=slight, 2=moderate, 3=serious,
4=severe

SECTION 4 - PHYSICAL DATA

Appearance and odor: Clear pink liquid; Faint solvent odor.

Boiling point: 80 ° C

Specific gravity(H₂O=1): .9

Vapor density(air=1): 2.8

Vapor pressure: NID

Solubility in water: soluble

Percent volatile by volume(%): approx. 55

Evaporation rate: < 1 (n-butyl acetate- 1)

SECTION 5 - FIRE AND EXPLOSION DATA

Flash point and method: N/D

Extinguishing media: Dry chemical; carbon dioxide; CO₂ halogen agent.

Special fire fighting procedures: Use self-contained air supply for respiratory assistance and wear protective clothing to prevent contact with skin and eyes.

Unusual fire / explosion hazards: None.

SECTION 6 - REACTIVITY DATA

Chemical stability: Stable.

Conditions to avoid: Avoid exposure to high heat sources, open flame, and strong oxidizing agents.

Incompatibility: Avoid strong oxidizing agents.

Hazardous decomposition product: Hydrocarbon vapors.

Hazardous polymerization: Will not occur.

SECTION 7 - TOXICOLOGICAL PROPERTIES

Route(s) of entry: Inhalation; ingestion; skin contact, eye contact.

Effects of acute exposure: Causes irritation to skin, eyes, nose, and throat

Effects of chronic exposure: Prolonged and repeated overexposure may cause dermatitis.

Carcinogenicity: The components of this product haven't shown any evidence of carcinogenicity.

SECTION 8 - PREVENTIVE MEASURES

A) Special Protection Information

- Respiratory Protection:** Air-supplied and filtering type.
- Ventilation:** Local exhausts: Recommended.
Mechanical (General): Should be sufficient in work area.
- Skin protection:** Latex; dry rubber; Neoprene water-proof gloves.
- Eye protection:** Safety glasses to avoid chemical splash.
- Other protective equipment:** Rubber or plastic apron.

B) Spill Leak, and Disposal Procedures

Spill or leak: Minor spills may be absorbed with ground clay, vermiculite, or similar absorbent material. Use chemical vacuum or other safe and approved method to remove major spills. Then place into proper containers for legal disposal.

Disposal: Recommended to incinerate flow pens in a permitted facility. Empty pens can be landfilled. Otherwise, consult with Federal, State, and/or local regulatory agencies for appropriate disposal methods.

C) Special Precautions and Work Practice

Special handling & work practice: Do not take internally. Harmful or fatal if swallowed. For industrial use only. Keep out of reach of children. Liquid contents are corrosive to skin and eyes. Wash hands thoroughly after use. Use only with adequate ventilation. Remove and wash contaminated clothing immediately. Store the pens in a cool, dark, and well-ventilated place, away from extreme heat and fire hazards. Keep pens tightly capped after use.

SECTION 9 - FIRST AID MEASURES

Eye contact: Immediately flush eyes with water for 15 minutes. Seek medical attention.

Skin contact: Wash thoroughly with soap and water. Remove contaminated clothing.

Inhalation: Remove victim to fresh air.

Ingestion: Do not induce vomiting. Call physician.

Msd Date 6/24/09